

14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Tei.: 416.734.3300

Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

July 19, 2013

YUVRAJ MALHOTRA HILTON METAL FORGING LTD 701 PALM SPRING PALM COURT COMPLEX LINK RD MUMBAI, MALAD (W) MAHARASHTRA INDIA 400 064 IN

Service Request Type.: BPV-National ACI Central

Service Request No.: 1094082

Your Reference No .:

Registered to.: HILTON METAL FORGING LTD

Dear YUVRAJ MALHOTRA,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.: 0B0941.98708TNR1.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant\_ BPV Engineering

Tel.: 416-734-3423 Fax: 416-231-6183 Email:tfrancis@tssa.org

NEW BRUNSWICK	250	NOVA SCOTIA
NUNAVUT	Sec Se As	YUKON
		-

NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Hilton Metal Forging Ltd.		
MANUFACTURERS ADDRESS: 701, Palm Spring, Palmcourt Complex, Link Road, Malad (West), Mumbai - 400 064, India		
PLANT LOCATIONS: Plot No. 1,2,3,15,16,17,20,21,25,26,28,29,30 Shah & Mehta Ind. Estate, Vill. Ghonsai, Tal. Wada, Dist. Thane - 42t 312, India		
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CAT	EGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, plpe caps, o B Flanges: all flanges C Valves: all line valves D Expansion Joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, lever pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over preboilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories	ASME / ANSI B16.5 ASME / ANSI B16.47 ASME / ANSI B16.36  vels, or ssure protection on	
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AEC8 or A		
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPE		
Hilton Metal Forging Ltd.	PORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE AC	THAT ITEMS TO BE DECISTEDED:	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE AC 1. COMPANY CATALOGUE 2. CERTIFICATE OF CONFIRMANCE (ISO 9001:2008 CERTIFICATE)	TUAL ITEMS TO BE REGISTERED:	
FLANGES (INCLUDES WN, S.O., THD., LAPPED, BLD., S.W. & ORIFICE TYPES) SIZES UP TO 60" NPS. ALL FLANGES CONFORM TO THE DIMENSIONS, MARKINGS, MATERIAL & PRESSURE RATING REQUIREMENTS OF ASME B16.5, 16.47 & 16.36 STANDARDS		
responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 908132008  as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.		
Signalure of Declarer:		
Declared before me at MUMBAI USETHIS SPACE FOR THE		
Commissioner of Oaths or Notary Public: (sign)  (Affix Official seal to the right)		
This space for Regulatory Authority use		
This registration must be revalidated after ten (10) years from the date of acceptance.		
CRN: 0B0941.9 REV1	PROVINCE OF PRINCE EDWARD ISLAND	
FID#: 14770	ENVIRONMENT, LABOUR & JUSTICE	
	C.R.N. 000941 9 KEUI	
Notes:  1. All fittings shall be registered in the name of the Manufacturer.  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH	
we a maximum interval of the (a) yours.		

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NUNAVUT VUXON NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME: Willion Metal: Borging Ltd.	
MANUFACTURERS ADDRESS 701 To Am Spring, Palmcourt Complex, Link Road, Malad (West), Mumha	400 004 India
PERNITUOCATIONS PIERNALIZAS 351770, 21.25.26,28.29.30 Shah & Michia Ind. Estato, Vill. Ghannel, Tal. V	
10000 1000 1000 1000 1000 1000 1000 10	TITLE OF THE STANDARD OF CONSTRUCTION
CATEGORY OF ENTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY  A Pice fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Figness: All flages. C Valves all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps	ASME/ANSI 016.5 ASME/ANSI 016.47 ASME/ANSI 016.36
F Massuring devices, including pressure gauges, lovel gauges, sight glasses, levels, or pressure transmitters. G Certified capacity-rated pressure reliaf devices acceptable as primary over pressure protection on bollets, pressure veasels, piping and fusible plugs. H Pressure relaining components that do not fall into one of the above categories. N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirements)	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TABE OF CONSTRUCTION
Illiton Metal Forging Ltd.	FORGED SI WELDRID D WAS WITH CHT CI CAST CI OTHER CI DESCRIBE OTHER
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE RE	SISTERÊD:
1. COMPANY CATALOGUE 2. CERTIFICATE OF CONFIRMANCE (ISO 9001:2008 CERTIFICATE)	
FLANGES (INCLUDES WN, S.O., THD., LAPPED, BLD., S.V. SIZES UP TO 60" NPS. ALL FLANGES CONFORM TO TIMERKINGS, MATERIAL & PRESSURE RATING REQUIREMENTS. 16.47 & 16.36 STANDARDS	HE DIMENSIONS, REMENTS OF ASME
YUVRAI MALITOTRA  [144-101-2] employed by Hilton Metal Forging Ltd. and being responsibility for the quality of the end product do solemnly declare that the information contained my knowledge represents the product for which registration is sought. The dimensions, materials remperature ratings, and identification markings are in accordance with the herein named standar manufacture of these fittings is regulated by a Quality Control Program which extends to each play or in part and has been verified by ISO 909772008.  The dimensions is regulated by a Quality Control Program which extends to each play or in part and has been verified by ISO 909772008.  The dimensions is a second of the same force and effect of the same force and effe	in this form is true and to the best of of construction, pressure ds. I further declare that the nt where fabrication occurs in whole t purpose and I make this selemn
The second secon	
	SPACE FOR THE
Commissioner of Oaths or Notary Public: (sign)	CIAL SEAL
or Notary Public: (sign)	
(Affix Official seal) to the right)	The second secon
This registration must be revalidated after ion (10) years from the date of	accompany cor
	A SCOTTA
	10y 17/13
	941,98REV1
Notes:  1. All fittings shall be registered in the name of the Manufacturer.	
2. Each eategory shall be supported with two Statutory Declaration  Toma and one copy of supporting documentation.  3. The declaration shall be made by the person having full authority and  Signed	P
responsibility for the quality of the end product.  4. Quality control programs shall be resubmitted for validation.	DUNG TENNY
at a maximum interval of five (5) years.	Part
	EUUE

NEW BRUNSWICK NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIE	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME: Hilton Metal Forging Ltd.	<del></del>	
MANUFACTURERS ADDRESS 701, Palm Spring, Palme	ourt Complex, Link Road, Malad (Wes	t), Mumbai – 400 064, India
PLANT LOCATIONS: Plot No. 1,2,3,15,16,17,20,21,25,26,28		
CATEGORY OF FITTINGS TO BE REGISTER	RED. CIRCLE ONE CATEGORY ONL	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, tees, elbows, Ys, plu B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose asset E Strainers, fitters, separators, and steam traps F Measuring devices, including pressure gauges, level g pressure transmitters G Certified capacity-rated pressure relief devices accept boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one N Nuclear components: Class 1 □ Class 2 □ Class 3 SHOW MANUFACTURERS NAME, TRADEMARK, OR L	mblies: all types auges, sight glasses, levels, or able as primary over pressure protection of the above categories 口, (Meeting AECB or ASME requiren	ents) PRODUCT TYPE OF CONSTRUCTION
Ililton Metal Forging Ltd.		FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDEN	TIFICATION OF THE ACTUAL ITEMS	TO BE REGISTERED:
FLANGES (INCLUDES WN, S.C SIZES UP TO 60" NPS. ALL FL MARKINGS, MATERIAL & PR B16.5, 16.47 & 16.36 STANDAR DECLARATION:  YUVRAJ MALHOTRA  responsibility for the quality of the end product do so my knowledge represents the product for which registemperature ratings, and identification markings are manufacture of these fittings is regulated by a Quality or in part and has been verified by ISO 9097:2008 declaration conscientiously believing it to be true, and signature of Declarer:  Declared before me at  This  20TH day of	ANGES CONFORM RESSURE RATING F DS  red by Hilton Metal Forging Ltd.  blemnly declare that the information stration is sought. The dimensions in accordance with the herein name by Control Program which extends as being suited knowing that it is of the same for the s	TO THE DIMENSIONS, EQUIREMENTS OF ASME  and being the person having full authority and contained in this form is true and to the best of materials of construction, pressure ed standards. I further declare that the each plant where fabrication occurs in whole able for that purpose and I make this solemn
Commissioner of Oaths or Notary Public: (sign)  (Affix Official seat to the r	1311	Brunswick DEPT OF PUBLIC SAFETY SOILER & PRESSURE VESSEL ACT
	is space for Régulatory Authority use " validated after ten (10) years from	the date ef-greentance.
CRN: _0B0941.9 REV1		CRN 10B0941, 97 Rev
FID#: <u>14770</u>	E	XAMPHER PULL CUSTO
Notes:  1. All fittings shall be registered in the name of the Manu 2. Each category shall be supported with two Statutory D		CHIEF BOILER INSPECTOR  ATE: 05/17/2013
forms and one copy of supporting documentation.  3. The declaration shall be made by the person having for responsibility for the quality of the end product.		☐ SIRs ☐ PVs
<ol> <li>Quality control programs shall be resubmitted for valid at a maximum interval of five (5) years.</li> </ol>	апоп	FITTINGS COMPONENTS

PRINCE EDWARD ISLAND

\_NEWFOUNDLAND AND LABRADOR

NEW BRUNSMIN

- NOVA SCOTIA

NUNAVUI YUKON NORTHWEST TERRITORIES	
MANUFACTURERS NAME Hillum Merci burging Ltd.	
MANUFACTURERS ADDRESS 701, Pales pring, Palmcourt Complex, Link Road, Malud (West	0.35 1 - 400.0/4.5 P
PLANT LOCATIONS: Plot No. 1.23.13.16.17.: 0,21,25.26,28,29.30 Shah & Mehta Ind. Extete, Vill. Gho	
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY	THE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, teek albows, Ys, plugs, unions, pipe caps, or reducers  BiFlanges, all flanges.	
C Valves; all line valves	ASME / ANSI B16.5 ASME / ANSI B16.47
D Expansion joints, flexible connections, and hose assemblies: all types	ASME / ANSI B16.36
## Strainers, filters, separators, and steam traps  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or	
pressure transmitters	
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection bolters, pressure vessets, piping and fusible plugs.	n on
H Pressure retaining components that do not fall into one of the above categories	
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or ASME requirement)	
SHOW MANUFACTURERS NAME TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE P	
Hilton Metal Forging Ltd.	FORGED TO WELDED TO WROUGHT TO CAST TO OTHER TO
HF	DESCRIBE OTHER
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS	O BE REGISTERED:
1. COMPANY CATALOGUE	
2. CERTIFICATE OF CONFIRMANCE (ISO 9001:2008 CERTIFICATE)	
FLANGES (INCLUDES WN, S.O., THD., LAPPED, BLI	N CW & ODIFICE TVPFS
SIZES UP TO 60" NPS. ALL FLANGES CONFORM	
MARKINGS, MATERIAL & PRESSURE RATING R	EQUIREMENTS OF ASME
B16.5, 16.47 & 16.36 STANDARDS	
DECLARATION:	
1 YUVRAJ MALHOTRA (see note a) employed by Hillon Metal Forging Ltd. responsibility for the quality of the end product do solemnly declare that the information	and being the person having full authority and
my knowledge represents the product for which registration is sought. The dimensions,	materials of construction, pressure
temperature ratings, and identification markings are in accordance with the herein name	d standards. I further declare that the
manufacture of these fittings is regulated by a Quality Control Program which extends to	each plant where fabrication occurs in whole
or in part and has been verified by ISO 909Th2008 as being suitable declaration conscientiously believing it to be true, and knowing that it is of the same force	ple for that purpose and I make this solemn
	e and enece as it made under dails.
Signature of Declarer:	•
Declared before me atMUMBAI	HIS SPACE FOR THE
	OFFICIAL SÉAL
20TH	PERCIAL SEAL
Commissioner of Oaths	
(Affor Official sealito the right)  This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the	COVERNMENT OF
The registration in the second	LARMICH MCHARLE VALLET V PROPERTY
CRN: 0B0941.9 REV1	Lahrasian Laurence
	Charles Languages
FID#: 14770	10 B0941.90 Rev 1
	17 May 2013
Notes:	tores and the their
All fittings shall be registered in the name of the Manufacturer.     Each category shall be supported with two Statutory Declaration.	English and the Report Convinces
forms and one copy of supporting documentation.	Registered)
3. The declaration shall be made by the person having full authority and	
responsibility for the quality of the end product.  4. Quality control programs shall be resubmitted for validation	UMDER DIE ATTENDATY HET THE PORTES SALETY ACTIONS
at a maximum interval of five (5) years.	THE BOILTR, PRESIDENT VESSEL AND
	COMPRESSED GAS REQUIATIONS

NEW BRUNSWICK

NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR

NUMAYUI NORTHWEST TERRITORIES	
MANUFACTURERS NAME Hilton Metal Forging Ltd.	
MANUFACTURERS ADDRESS 701, Palm Spring, Palmcourt Complex, Link Rond, Malad (West), Mumbai	- 400 064, India
PLANT LOCATIONS   Plot No. 1 23.15.16.17.26,21,25,26,28,29,30 Shah & Mehta Ind. Estate, Vill. Ghonsai, Tal. W	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	THE OF THE STANDANG OF CONSTRUCT ON
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  B. Flanges: all flanges C. Valvest all line valves. D. Expansion Joints, flexible connections, and hose assemblies: all types E. Strainers, filters, separators, and steam traps F. Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G. Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H. Pressure retaining components that do not fall into one of the above categories	ASME/ANSI B16.5 ASME/ANSI B16.47 ASME/ANSI B16.36
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting AECB or ASME requirements)	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
Histon Metal Forging Ltd.	FORGED © WELDED L' WROUGHT C CAST COTHER C DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REC	SISTERED:
1. COMPANY CATALOGUE	
2. CERTIFICATE OF CONFIRMANCE (ISO 9001:2008 CERTIFICATE)	
FLANGES (INCLUDES WN, S.O., THD., LAPPED, BLD., S.N. SIZES UP TO 60" NPS. ALL FLANGES CONFORM TO THE MARKINGS, MATERIAL & PRESSURE RATING REQUIREMENTS. 16.47 & 16.36 STANDARDS  DECLARATION:	HE DIMENSIONS,
Signature of Declarer:  Declared before me at  This  20TH day of  Commissioner of Oaths	in this form is true and to the best of of construction, pressure ds. I further declare that the nt where fabrication occurs in whole t purpose and I make this solemn
or Notary Public: (sign)	
(Affix Official seal to the right)  This space for Regulatory Authority use  This registration must be revalidated after ten (10) years from the data of	acceptance
CRN: 080941.9 REV1	A
Notes:	DB0941.97 REVI
1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for varidation at a maximum interval of five (5) years.	LSPS 3PATOS

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NUNAVUT YUKON NORTHWEST TERRITORIE	NEWFOUNDLAND AND CABRADOR IS
MANUFACTURERS NAME: Winn Alttal Forging Ltd.	
MANUFACTURERS ADDRESS 701, Palm Spring, Palutcourt Complex, Link Road, Maiad (We	st), Mumbai = 400 064, Indlu
PLANT LOCATIONS Phir No. 123 1516, 17, 20, 21, 25, 26, 28, 29, 30 Shah & Mohto Ind. Catate, VIII. Gh	oursal, Tal. Wada, Dist. Thane - 421 312, India
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONL	Y TITLE OF THE STANDARD OF CONSTRUCTION
A Pipo likings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers	-  -
8 Flanges: all fine valves	ASME / ANSI DI6.5
D Expansion joints, floxible connections, and hose assemblies: all types	ASME / ANSI B16.47 ASME / ANSI B16.36
E Strainers, filters, separators, and steam trops  F Moosyring devices, including pressure gauges, level gauges, sight glasses, levels, or	
Presente transmitters	
G Certified capacity-rated pressure relief devices accoptable as primary over pressure protections and trailing and finally accounts to the country of the c	on on .
bollers, pressure vessels, piping and fuelble plugs  H. Pressure retaining components that do not fall into one of the above categories	
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECS or ASME requirer	ments)
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE	
Hilton Metal Forging Lid.	FORGEO WELDED O WROUGHT O
LIC	OERCHIRE OTHER:
I II	
(	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS	TO BE REGISTERED:
1. COMPANY CATALOGUE	
2. CERTIFICATE OF CONFIRMANCE (ISO 9001:2008 CERTIFICATE)	
FLANGES (INCLUDES WN, S.O., THD., LAPPED, BL	D., S.W. & ORIFICE TYPES)
SIZES UP TO 60" NPS. ALL FLANGES CONFORM	TO THE DIMENSIONS
SIZES UF TO SU NYS, ALL FLANGES CONFORM	TO THE DIMENSIONS,
NATIONAL CONTRACTOR AND ADDRESS OF A PROPERTY OF THE PROPERTY	A TO A SECURE OF THE A SECURITION OF THE ASSESSMENT OF THE SECURITION OF THE SECURITIES OF THE SECURITION OF THE SECURIT
MARKINGS, MATERIAL & PRESSURE RATING F	REQUIREMENTS OF ASME
MARKINGS, MATERIAL & PRESSURE RATING F B16.5, 16.47 & 16.36 STANDARDS	REQUIREMENTS OF ASME
MARKINGS, MATERIAL & PRESSURE RATING F B16.5, 16.47 & 16.36 STANDARDS	
MARKINGS, MATERIAL & PRESSURE RATING F B16.5, 16.47 & 16.36 STANDARDS DECLARATION: YUVRAJ MALITOTRA (1000 Fixed 3) employed by Hilton Metal Forging Ltd.	and being the person having full authority and
MARKINGS, MATERIAL & PRESSURE RATING F B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALITOTRA  esponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions	and being the person having full authority and n contained in this form is true and to the best of a materials of construction, pressure
MARKINGS, MATERIAL & PRESSURE RATING F B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALMOTRA  esponsibility for the quality of the end product do solemnly declare that the information in knowledge represents the product for which rigistration is sought. The dimensions emperature ratings, and identification markings are in accordance with the heroin name	and being the person having full authority and n contained in this form is true and to the best of a materials of construction, pressure ned standards. I further declare that the
MARKINGS, MATERIAL & PRESSURE RATING IN B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALITOTRA  esponsibility for the quality of the end product do salemnly declare that the information by knowledge represents the product for which rigistration is saught. The dimensions emperature ratings, and identification markings are in accordance with the herein name nanufacture of these fiftings is reguleted by a Quality Control Program which extends in part and has been verified by 150 9091 2008  as being suite	and being the person having full authority and n contained in this form is true and to the best of a, materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn
MARKINGS, MATERIAL & PRESSURE RATING IN B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALITOTRA  esponsibility for the quality of the end product do salemnly declare that the information by knowledge represents the product for which rigistration is saught. The dimensions emperature ratings, and identification markings are in accordance with the herein name nanufacture of these fiftings is reguleted by a Quality Control Program which extends in part and has been verified by 150 9091 2008  as being suite	and being the person having full authority and n contained in this form is true and to the best of a, materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALIIOTRA  Responsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions amperature ratings, and identification markings are in accordance with the heroin name analysis of these fittings is regulated by a Quality Control Program which extends in part and has been verified by ISO 909112008  Section 11. Section 12. Section 13. S	and being the person having full authority and n contained in this form is true and to the best of a, materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn
MARKINGS, MATERIAL & PRESSURE RATING F B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALMOTRA  (**** From the separation of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions emperature ratings, and identification markings are in accordance with the heroin name nanufacture of these fittings is regulated by a Quality Control Program which extends in part and has been verified by JSO 909112008  estimated by SO 909112008  estimated by ISO 909112008	and being the person having full authority and nicontained in this form is true and to the best of a materials of construction, pressure nod standards. I further declare that the to each plant where fabrication occurs in whole abis for that purpose and I make this solemn rice and effect as if made under oath.
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS DECLARATION: YUVRAJ MALMOTRA  esponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions emperature ratings, and identification markings are in accordance with the heroin name nanufacture of these fittings is regulated by a Quality Control Program which extends in part and has been verified by ISO 90912008  so being suite eclaration conscientiously believing it to be true, and knowing that it is of the same for ignature of Declarer.  eclared before me at  MUMBAI  MUMBAI  SE	and being the person having full authority and n contained in this form is true and to the best of a, materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALIIOTRA  Responsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions remperature ratings, and identification markings are in accordance with the herein name to an analysis of these fittings is regulated by a Quality Control Program which extends are in part and has been verified by ISO 9091/2008  Reclaration conscientiously believing it to be true, and knowing that it is of the same for its part and before me at the markings are in accordance with the herein name to be claration conscientiously believing it to be true, and knowing that it is of the same for its part and before me at the markings are in accordance.	and being the person having full authority and nicontained in this form is true and to the best of a materials of construction, pressure nod standards. I further declare that the to each plant where fabrication occurs in whole abis for that purpose and I make this solemn rice and effect as if made under oath.
MARKINGS, MATERIAL & PRESSURE RATING IN B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALITOTRA  Responsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions remperature ratings, and identification markings are in accordance with the herein name annufacture of these fittings is reguleted by a Quality Control Program which extends in part and has been verified by 150 9091 2008  The program which extends as being suite eclaration conscientiously believing it to be true, and knowing that it is of the same for injurious of Declarer.  The program which extends as being suite eclaration conscientiously believing it to be true, and knowing that it is of the same for injurious day of the program which extends as being suite eclaration conscientiously believing it to be true, and knowing that it is of the same for injurious day of the product of the produc	and being the person having full authority and n contained in this form is true and to the best of a, materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole abis for that purpose and I make this solemn roe and effect as if made under eath.  THIS SPACE FOR THE
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALITOTRA  Responsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions imperature ratings, and identification markings are in accordance with the herein name transfecture of these fittings is regulated by a Quality Control Program which extends in part and has been verified by ISO 90902008  Solemnia a	and being the person having full authority and n contained in this form is true and to the best of a, materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole abis for that purpose and I make this solemn roe and effect as if made under eath.  THIS SPACE FOR THE
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALITOTRA  Reponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions in part and has been verified by a Quality Control Program which extends in part and has been verified by ISO 90912008  Sectoration conscientiously believing it to be true, and knowing that it is of the same for ommissioner of Oaths  Notary Public: (sign)  (Afficiently is a finished by ISO 90912008  (Afficiently in the right)	and being the person having full authority and n contained in this form is true and to the best of a, materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole abis for that purpose and I make this solemn roe and effect as if made under eath.  THIS SPACE FOR THE
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS DECLARATION: YUVRAJ MALITOTRA Perponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions amperature ratings, and identification markings are in accordance with the herein name translature of these fittings is regulated by a Quality Control Program which extends as being suite eclaration conscientiously believing it to be true, and knowing that it is of the same for markings are in accordance with the herein name translature of Declarer.  Perponsibility for the quality of the end product do solemnly declare that the information properties in part and has been verified by a Quality Control Program which extends as being suite eclaration conscientiously believing it to be true, and knowing that it is of the same for missioner of Oeths  Notary Public: (sign)  (Affix Official seal to the right)  This appace for Regulatory Authority use	and being the person having full authority and nicontained in this form is true and to the best of a materials of construction, pressure nod standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE  OFFICIAL SEAL
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALITOTRA  Responsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which registration is sought. The dimensions emperature ratings, and identification markings are in accordance with the heroin name to an analysis of these fittings is regulated by a Quality Control Program which extends are in part and has been verified by JSO 90012008  Reclaration conscientiously believing it to be true, and knowing that it is of the same for the part and day of commissioner of Oaths and the part of Declarer.  Reclared before me at the product of the part of Declarer.  Reclared before me at the product of the part of Declarer.  Reclared before me at the product of Declarer.	and being the person having full authority and nicontained in this form is true and to the best of a materials of construction, pressure nod standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE  OFFICIAL SEAL
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALIIOTRA  esponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions emperature ratings, and identification markings are in accordance with the herein name to the end and has been verified by ISO 909112008  esponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions of the end product of a quality Control Program which extends a speing sufficient of part and has been verified by ISO 909112008  esponsibility for the quality of the end product do solemnly declare that the information with the herein name to the part and has been verified by ISO 909112008  esponsibility for the quality of the end product do solemnly declare that the information product the right of the solemnly declared with the herein name to the part and has been verified by ISO 909112008  esponsibility for the quality of the end product do solemnly declare that the information product to solemnly declare that	and being the person having full authority and nicontained in this form is true and to the best of a materials of construction, pressure nod standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE  OFFICIAL SEAL
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALIIOTRA  Responsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions amountacture of these fittings is regulated by a Quality Control Program which extends in part and has been verified by ISO 90932008  Reclaration conscientiously believing it to be true, and knowing that it is of the same for importance of Declarer:  Reclared before me at his 2014 day of commissioner of Oaths in Notary Public: (sign)  This registration must be revalidated after ten (10) years from the product of the part and the product of the part and knowing that it is of the same for the public (sign)  This registration must be revalidated after ten (10) years from the product of the part and par	and being the person having full authority and nicontained in this form is true and to the best of a materials of construction, pressure nod standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE  OFFICIAL SEAL
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALITOTRA Perponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions amperature ratings, and identification markings are in accordance with the herein name and has been verified by 150 9093 2008  This part and has been verified by 150 9093 2008  Perponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions are presented by a Quality Control Program which extends as being sufficient to part and has been verified by 150 9093 2008  Because of these fittings is regulated by a Quality Control Program which extends as being sufficient part and has been verified by 150 9093 2008  Because of the sought. The dimensions are producted by a Quality Control Program which extends as being sufficient part and has been verified by 150 9093 2008  Because of the sought. The dimensions are program which extends as being sufficient part and has been verified by 150 9093 2008  Because of the sought for given and the sought. The dimensions are program which extends are program which extends as being sufficient part and has been verified by 150 9093 2008  Because of the sought for given and the sought for given and the program which extends are program whi	and being the person having full authority and n contained in this form is true and to the best of a materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole abis for that purpose and I make this solemn rice and effect as if made under eath.  THIS SPACE FOR THE OFFICIAL SEAL
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALITOTRA  Responsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions amperature ratings, and identification markings are in accordance with the herein name analysis of these fittings is regulated by a Quality Control Program which extends are in part and has been verified by ISO 90932008  Reclaration conscientiously believing it to be true, and knowing that it is of the same for impart and product of the part and product of the same for its part and product of the product of the part and product of the part and product of the product of the part and product	and being the person having full authority and a contained in this form is true and to the best of a materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE OFFICIAL SEAL
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALNOTRA esponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which ringistration is sought. The dimensions emperature ratings, and identification markings are in accordance with the herein name nanufacture of these fittings is regulated by a Quality Control Program which extends in part and has been verified by JSO 9091 2008 eclaration conscientiously believing it to be true, and knowing that it is of the same for impart and product of the product for which ringistration with the herein name and has been verified by JSO 9091 2008 esponsibility for the quality of the end product do solemnly declare that the information is sought. The dimensions of markings are in accordance with the herein name nanufacture of these fittings is regulated by a Quality Control Program which extends as being sufficient and has been verified by JSO 9091 2008 esponsibility for the quality of the ringistration conscientions in part and has been verified by JSO 9091 2008 esponsibility for the quality of the end product do solemnly declare that the information program which extends as being sufficient program which extends a sufficient program which extends as being sufficient program which extends a sufficient program which extends as being sufficient program which extends as being sufficient program which extends a sufficient program	and being the person having full authority and n contained in this form is true and to the best of a materials of construction, pressure nod standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE OFFICIAL SEAL  THIS SPACE FOR THE OFFICIAL SEAL  THE OFFICIAL SEAL
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION: YUVRAJ MALNOTRA  Responsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which ringistration is sought. The dimensions represents the product for which ringistration is sought. The dimensions represents the product for which ringistration is sought. The dimensions represents the product for which ringistration is sought. The dimensions represents the product for which ringistration is sought. The dimensions represents the product for which ringistration is sought. The dimensions represents the product for which ringistration is sought. The dimensions represents the product for which ringistration is sought. The dimensions of part and has been verified by JSO 90912008  Belling to the sought of the same for the same for the page of the Magnifecture.  All Milliams shall be registered in the page of the Magnifecture.  All Milliams shall be registered in the page of the Magnifecture.	and being the person having full authority and a contained in this form is true and to the best of a materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE OFFICIAL SEAL  THIS SPACE FOR THE OFFICIAL SEAL  THE OFFICIAL SEAL
MARKINGS, MATERIAL & PRESSURE RATING IN B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALNOTRA  Responsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions are raining, and identification markings are in accordance with the heroin name and has been verified by 150 9091 2008  Be being suite eclaration conscientiously believing it to be true, and knowing that it is of the same for manipulation of Declarer:  Beclared before me at this 2014 day of permitted by 150 9091 2008  CARROTICIAL Seal to the right)  This registration must be revalidated after ten (10) years from the category shall be supported with two Bisluttory Declaration.  UND THE	and being the person having full authority and a contained in this form is true and to the best of a materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE OFFICIAL SEAL  THORITMES!  REGISTERED  BER THE AUTHORITY OF BOILER AND PRESSURE
MARKINGS, MATERIAL & PRESSURE RATING IN B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALITOTRA  esponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions amperature ratings, and identification markings are in accordance with the heroin name anaufacture of these fittings is regulated by a Quality Control Program which extends as being sufficient on part and has been verified by 150 9091 2008  eclaration conscientiously believing it to be true, and knowing that it is of the same for impart and product of the same for	and being the person having full authority and a contained in this form is true and to the best of a materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole abis for that purpose and I make this solemn rice and effect as if made under eath.  THIS SPACE FOR THE OFFICIAL SEAL  Morthwest ferritories  REGISTERED  DER THE AUTHORITY OF BOILER AND PRESSURE  VESSEL ACT.
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALJIOTRA  (see note 3) employed by Hilten Metal Ferging Ltd.  esponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions emperature ratings, and identification markings are in accordance with the herein name anautacture of these fittings is reguleted by a Quality Control Program which extends in part and has been verified by JSD 90912008  as being sufficientation conscientiously believing it to be true, and knowing that it is of the same for impart and product of Qaths  Notary Public: (sign)  (Afficient seal to the right)  This space for Regulatory Authority use This registration must be revalidated after ten (10) years from CRN:  OB0941.9 REV1  Notes:  1. All fittings shall be registered in the name of the Manufacturer.  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  C.A.P.	and being the person having full authority and a contained in this form is true and to the best of a materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole abis for that purpose and I make this solemn rice and effect as if made under eath.  THIS SPACE FOR THE OFFICIAL SEAL  Morthwest ferritories  REGISTERED  DER THE AUTHORITY OF BOILER AND PRESSURE  VESSEL ACT.
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALJIOTRA  esponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions emperature ratings, and identification markings are in accordance with the herein name nanufacture of these fittings is reguleted by a Quality Control Program which extends in part and has been verified by ISD 99912008  esteration conscientiously believing it to be true, and knowing that it is of the same for impart and has been verified by ISD 99912008  Signature of Declarer:  MUMBA  This space for Regulatory Authority use This registration must be revalidated after ten (10) years from CRN:  OB0941.9 REV1  FID#: 14.770  Notes:  1. All fittings shall be registered in the name of the Manufacturer.  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product,  4. Quality control programs shall be resubmitted for validation  CRN:  OB0941.9 REV1  C.R.P.  C.R	and being the person having full authority and in contained in this form is true and to the best of an materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE OFFICIAL SEAL  THIS SPACE FOR THE OFFICIAL SEAL  THIS SPACE FOR THE OFFICIAL SEAL  THE OFFICIAL SEAL
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALITOTRA  (see note 3) employed by Hilton Metal Forging Ltd.  esponsibility for the quality of the end product do solemnly declare that the information synthetic represents the product for which righstration is sought. The dimensions emperature ratings, and identification markings are in accordance with the herein name nanufacture of these fittings is reguleted by a Quality Control Program which extends in part and has been verified by 150 90912008 as being sufficient and has been verified by 150 90912008 as being sufficient of Declarer.  Declared before me at this 20TH day of commissioner of Qatha is not part and in the right)  This space for Regulatory Authority use This registration must be revalidated after ten (10) years from CRN: 0B0941.9 REV1  FID#: 14770  Notes:  1. All fittings shall be registered in the name of the Manufacturer.  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  C.R.F.	and being the person having full authority and a contained in this form is true and to the best of a materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE OFFICIAL SEAL  Morthwest ferritories  REGISTERED  DER THE AUTHORITY OF BOILER AND PRESSURE  VESSEL ACT.  O BO 9 41.97 Rev.
MARKINGS, MATERIAL & PRESSURE RATING IS B16.5, 16.47 & 16.36 STANDARDS  DECLARATION:  YUVRAJ MALITOTRA  Lesponsibility for the quality of the end product do solemnly declare that the information by knowledge represents the product for which rigistration is sought. The dimensions emperature ratinge, and identification markings are in accordance with the herein name nanufacture of these fittings is reguleted by a Quality Control Program which extends or in part and has been verified by 150 90912008  Is being suite ectaration conscientiously believing it to be true, and knowing that it is of the same for commissioner of Oaths of Notary Public: (sign)  WIMBAI  This apace for Regulatory Authority use This registration must be revalidated after ten (10) years from CRN:  OB0941.9 REV1  FID#: 14.770  Notes:  1. All fittings shall be registered in the name of the Manufacturer.  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	and being the person having full authority and a contained in this form is true and to the best of a materials of construction, pressure and standards. I further declare that the to each plant where fabrication occurs in whole able for that purpose and I make this solemn rice and effect as if made under oath.  THIS SPACE FOR THE OFFICIAL SEAL  Morthwest ferritories  REGISTERED  DER THE AUTHORITY OF BOILER AND PRESSURE  VESSEL ACT.  O BO 9 41.97 Rev.

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD NUNAVUT YUKON NORTHWEST TER		
MANUFACTURERS NAME: Illion Metal Forging Lid.	V 4	
MANUFACTURERS ADDRESS 701, Palm Spring, Palmcourt Complex, Link Road, A	Color (Wast), Manahai - 400 00d India	
PLANT LOCATIONS Plot No. 12.3.15,16,17,20,21,25,26,28,29,30 Shah & Mente Ind. Esta		
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGO	_1	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe cops, or red		
B Flangest all flanges	ASME/ANSI B16.5	
C Valves: all line valves  D Expansion joints, flexible connections, and hose assemblies: all types	ASME / ANSI B16.47	
© Strainers, filters, coparators, and steam uspe	ASME/ANSI B1636	
F Messuring devices, including pressure gauges, layer gauges, sight glasses, levels,	or	
pressurfiltrenemitters  G Certified copacity-rated prosoure relief devices acceptable as primary over pressure	e protection on	
boilers, pressure vessels, piping and fusible plugs		
H. Pressure retaining components that do not fall into one of the above categories		
N Nuclear components: Class 1 D Class 2 D Class 3 D, (Meeting AECS or ASM) SHOW MANUFACTURERS NAME, TRADEMARK, DR LOGO AS IT WILL APPEAR		
Ililion Metal Forging Ltd.	FORGED LA WELDED CO WROUGHT CO	
	CAST O OTHER O	
HF	1	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUA	AL ITEMS TO BE REGISTERED;	
I. COMPANY CATALOGUE		
2. CERTIFICATE OF CONFIRMANCE (ISO 9001:2008 CERTIFICATE)		
A PART OF A PART	D DID ON A ODIEKCE TVDES	
FLANGES (INCLUDES WN, S.O., THD., LAPPE	D,BLD., S.W. & ORIFICE TYPES)	
SIZES UP TO 60" NPS. ALL FLANGES CONF	ORM TO THE DIMENSIONS,	
MARKINGS, MATERIAL & PRESSURE RATI	NG REQUIREMENTS OF ASME	
B16.5, 16.47 & 16.36 STANDARDS		
DECLARATION:		
responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of		
responsibility for the quality of the end product to adjoining declars that the in my knowledge represents the product for which registration is sought. The dir		
temperature ratings, and identification markings are in accordance with the he		
manufacture of these fittings is regulated by a Quality Control Program which		
or in part and has been verified by ISO 908112008 as be declaration conscientiously believing it to be true, and knowing that it is of the	eing suitable for that purpose and I make this solemn	
	same loca and arred as it made dilest cour.	
Signature of Declarer: Whele		
Declared before me atMWMBAI	USETHIS SPACE FOR THE	
	OFFICIAL SEAL	
	S OFFICIAL SEAL	
Commissioner of Oaths or Notary Public: (sign)	1	
(Affix Official selection the right)	/	
This space for Regulatory Aut	NUNAVIT	
	a rition of date of acceptance.	
	Boilers and	
CRN: 080941.9 REV1	Nunavut Pressure Vessels Act	
FIO#: 14770		
riu#	REGISTERED	
	ORN OBO9419 N Rev1	
Nutes 1. All fittings shall be registered in the name of the Manufactures.		
2 Each category shall be supported with two Statutory Declaration	Date Mut 31, 201,3	
forms and one copy of supporting documentation.  3 The declaration shall be made by the person having full authority and	Signed Tell	
responsibility for the quality of the end product.	Chief Inspector	
Quality control programs shall be resubmitted for validation	Office map floton	
at a maximum interval of five (5) years.	T. Martin D. Martin C. F.	
	lemional Registration Fee	



PV 09557 (03/11)

Technical Standards and Safety Authority 14th Floor - Centre Tower 3300 Bloor Street West Toronto, Ontario M8X 2X4 Customer Service: 1.877.682.8772 Fax: 416.231.6183

www.tssa.org

## National Design Registration Application for a CRN

Technical Standards and Safety Act Boilers and Pressure Vessels Regulation

**INTAKE GROUP** 

Date of Application (mm/dd/yyyy); 03/18/2013	Expedited Service (ple	ease attached request form)	Date: 58#: 1075046 1077
Please indicate the type of desi	gn: ☐ Boiler     ✓ Pressu	ure Vessel 🔽 Fitting	Agent: 1075052 N
Existing CRN: 0B0941.9 ; 0A0936.9	(if applicable)		
Section A: Submitter Company Name: HILTON METAL FORGING LTD.		Section B: Invoicee Company Name:	Same as: ✓ A ☐ C ☐ D
Address: 701, PalmSpring, Palmcou	rt Complex, Link Road	Address:	
City/Town: Mumbai / Malad (W)	Province/State: Maharashtra	a City/Town:	Province/State:
Postal/Zip Code: 400 064	Country: INDIA	Postal/Zip Code:	Country:
Telephone: +91 22 40426565	Fax: +91 22 40426566	Telephone:	Fax:
Contact Name: YUVRAJ MALHOTI	AS	Contact Name:	
E-mail: info@hiltonmetal.com, yuvra	j@hiltonmetal.com	E-mail:	
Job No./Reference:		Purchase Order No.:	
Drawing/Catalog No.:			
Acct/Cust No.: 17.46943	S2 C183941	Acct/Cust No.:	·
Section C: Owner of Design	I/CRN Same as: ☑ A ☐ B	D Section D: Manufact (If more then one please	
Company Name:		Company Name:	
Address:		Address:	
City/Town:	Province/State:	City/Tawn:	Province/State:
Postal/Zip Code:	Country:	Postal/Zip Code:	Country:
Telephone:	Fax:	Telephone:	Fax:
Contact Name:		Contact Name:	
E-mail:		E-mail:	
Acct/Cust No.:		Acct/Cust No.:	
Registration required in the foll	owing jurisdictions:		
<ul><li>✓ Ontario</li><li>✓ British Columbia</li><li>✓ Alberta</li></ul>	Saskatchewan Manitoba Quebec	✓ New Brunswick ✓ Nova Scotia ✓ Prince Edward Island	<ul> <li>✓ Newfoundland and Labrador</li> <li>✓ Yukon</li> <li>✓ Northwest Territories</li> <li>✓ Nunavut</li> </ul>
Deposit included: CDN \$600.	00 - Ontario and up to 2 additiona	al provinces CDN \$1,200.0	00 - Ontario and 3 or more additional provinces
Cheque	Cheque No Amount \$		
(Deposit to be applied to the incurred	I fees when all jurisdictions are co	omplete - any charges over and ab	ove deposit amount will be invoiced at that time.)
Return mail address: 📝 🗛 📗	B C Optional	1: Courier Collect Courier	name:
A au		Account	No.:
Signed:		Date (mm/dd/yyyy): _	03/20/3
Date: Jay 24, 96	Reviewing Enginee	er/ JANU VALCIC	CRN Issued: 050941.95R



14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Tel.: 416.734.3300

Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

June 24, 2013

YUVRAJ MALHOTRA HILTON METAL FORGING LTD 701 PALM SPRING PALM COURT COMPLEX LINK RD MUMBAI, MALAD (W) MAHARASHTRA INDIA 400 064 IN

Service Request Type: BPV-Fitting Registration

Service Request No.: 1075046

Your Reference No.:

Registered to:

HILTON METAL FORGING LTD

Dear YUVRAJ MALHOTRA,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.:

0B0941.95R1

Main Design No.:

Catalog HILTON METAL FORGING LTD - FLANGES (INCL: WN, S.O., THD,

LAPPED, BLD, S.W.& ORIFICE TYPES) UPTO 60"NPS - ASME B16.5, 16.47 & 16.36

Expiry Date:

17-May-2023

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Mark Valcic P. Eng. Engineer BPV

Tel.: 416-734-3494 Fax: 416-231-6183 Email: mvalcic@tssa.org

Putting Public Safety First

NEW BRUNSWICK NUNAVUT NOVA SCOTIA

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Hilton Metal Forging Ltd. MANUFACTURERS ADDRESS: 701, PalmSpring, Palmcourt Complex, Link Road, Malad (West), Mumbai - 400 064, India PLANT LOCATIONS: Plot No. 1,2,3,15,16,17,20,21,25,26,28,29,30 Shah & Mehta Ind. Estate, Vill. Ghonsai, Tal. Wada, Dist. Thane - 421 312, India CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges ASME/ANSI B16.5 C Valves: all line valves ASME / ANSI B16.47 D Expansion joints, flexible connections, and hose assemblies: all types ASME/ANSI B16.36 E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting AECB or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED IN WELDED IN WROUGHT IN CAST IN OTHER IN Hilton Metal Forging Ltd. DESCRIBE OTHER LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: 1. COMPANY CATALOGUE 2. CERTIFICATE OF CONFIRMANCE (ISO 9001:2008 CERTIFICATE) FLANGES (INCLUDES WN, S.O., THD., LAPPED, BLD., S.W. & ORIFICE TYPES) SIZES UP TO 60" NPS. ALL FLANGES CONFORM TO THE DIMENSIONS, MARKINGS, MATERIAL & PRESSURE RATING REQUIREMENTS OF ASME B16.5, 16.47 & 16.36 STANDARDS DECLARATION: (see note 3) employed by Hilton Metal Forging Ltd. I YUVRAJ MALHOTRA and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: Declared before me at MBA HIS SPACE FOR THE MAHARASHTRA SFFICIAL SEAL This \_\_\_\_\_ay of 2017 🚓 RCI Regd.-1952 Commissioner of Oaths or Notary Public: (sign) (Affix Official seal to the right) This space for Regulatory Authority use stration must be revalidated after ten (10) years from the date of acceptance. FID#: 1. All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.